



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006617194

Filing Deadline: January 15, 2015

FRN: 0001608645

Filing Date: 01/13/2015 12:57 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Sagebrush Cellular, Inc.

Brand Names: Sagebrush Cellular
Nemont

PO Box: 600

Street Address:

City: Scobey

State: MT

Zip Code: 59263

Contact Name: Timothy Welch

Contact Phone: (202) 857-1470

Contact Fax: (301) 622-2864

Contact Email: welchlaw@earthlink.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.nemont.net/wireless.php>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Website. Point of sale displays include signs that HAC handsets are available and displays include HAC ratings. Opportunity for customers at point of sale to test any handset. Reporter does not sell any handsets which are configured for voice interface with WI-FI; Reporter is not aware that a HAC standard has been established for WI-FI; signage indicates that new technologies have not been HAC tested as per Section 20.19(f)(2)(i).

Methodology for Functionality Levels

Basic (B) Tier--Handsets which have two-way voice and SMS communications capability and few, if any, advanced features.

Feature (F) Tier--Handsets which have a number of features built in, including some or all of the following: camera, memory card slot, Bluetooth capability, Internet access capability, music player, texting keyboard, touch screen.

Smartphone (S) Tier--Handsets which include an email client and a full HTML browser.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 19

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	16	84%	3	16%			19

Handset 1: Alcatel 960C

Handset Maker

Alcatel

Handset Model Name

960C

FCC ID

RAD278

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 01/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 2: Apple 4s

Handset Maker

Apple

Handset Model Name

4s

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/14 to 09/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 3: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 4: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 5: Apple iphone 6

Handset Maker

Apple

Handset Model Name

iphone 6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 6: Apple iphone 6 plus

Handset Maker

Apple

Handset Model Name

iphone 6 plus

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 7: HTC HTC DESIRE 601 (ZARA

Handset Maker

HTC

Handset Model Name

HTC DESIRE 601 (ZARA

FCC ID

NM80P4E100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 08/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks**Handset 8: Innos MN8****Handset Maker**

Innos

Handset Model Name

MN8

FCC ID

COYI6CP

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 12/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 9: LG AN160

Handset Maker

LG

Handset Model Name

AN160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 09/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 10: LG AN272 CONVERSE

Handset Maker

LG

Handset Model Name

AN272 CONVERSE

FCC ID

ZNFAN272

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 11/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks**Handset 11: Motorola Moto G (XT1031)****Handset Maker**

Motorola

Handset Model Name**FCC ID**

Moto G (XT1031)

IHDT56PF3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 12: Motorola XT556 Defy

Handset Maker

Motorola

Handset Model Name

XT556 Defy

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 03/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 13: Motorola XT861 MILESTONE III

Handset Maker

Motorola

Handset Model Name

XT861 MILESTONE III

FCC ID

IHDT56MF1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 03/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 14: Motorola XT908 (Razr Maxx)**Handset Maker**

Motorola

Handset Model Name**FCC ID**

XT908 (Razr Maxx)

IHDP56ME1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 02/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 15: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900R7

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

S

Remarks

Handset 16: Samsung R270 Chrono 2

Handset Maker

Samsung

Handset Model Name

R270 Chrono 2

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 17: Samsung R530X**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R530X

A3LSCHI535

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 06/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 18: SONIM XP3400 Armor

Handset Maker

SONIM

Handset Model Name

XP3400 Armor

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

F

Remarks

Handset 19: SONIM XP3405 Shield

Handset Maker

SONIM

Handset Model Name

XP3405 Shield

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

F

Remarks

Certification

This Report has been certified by:

Tim Wilson Director, Wireless Operations
01/13/2015 12:57 PM